

(continued from outside back cover)

| | |
|---|-----|
| Hydrothermal stability of Pd/ZrO ₂ catalysts for high temperature methane combustion J.-H. Park, J.H. Cho, Y.J. Kim, E.S. Kim, H.S. Han and C.-H. Shin (Republic of Korea) | 135 |
| One step flame-made fluorinated Pt/TiO ₂ photocatalysts for hydrogen production G.L. Chiarello, M.V. Dozzi, M. Scavini, J.-D. Grunwaldt and E. Selli (Italy, Germany) | 144 |
| C-N/TiO ₂ photocatalysts: Effect of co-doping on the catalytic performance under visible light V. Trevisan, A. Olivo, F. Pinna, M. Signoretto, F. Vindigni, G. Cerrato and C.L. Bianchi (Italy) | 152 |
| Selective oxidation of methanol to dimethoxymethane on V ₂ O ₅ -MoO ₃ /γ-Al ₂ O ₃ catalysts Y. Meng, T. Wang, S. Chen, Y. Zhao, X. Ma and J. Gong (China) | 161 |
| Enhanced visible light-driven hydrogen production from water by a noble-metal-free system containing organic dye-sensitized titanium dioxide loaded with nickel hydroxide as the cocatalyst Z. Yan, X. Yu, Y. Zhang, H. Jia, Z. Sun and P. Du (China) | 173 |
| Efficient electrochemical reduction of bromate by a Pd/rGO/CFP electrode with low applied potentials R. Mao, X. Zhao, H. Lan, H. Liu and J. Qu (PR China) | 179 |
| Catalytic steam reforming of acetic acid as a model compound of bio-oil F.G.E. Nogueira, P.G.M. Assaf, H.W.P. Carvalho and E.M. Assaf (Brazil, Germany) | 188 |
| Photocatalytic decomposition of NH ₃ over TiO ₂ catalysts doped with Fe K. Obata, K. Kishishita, A. Okemoto, K. Taniya, Y. Ichihashi and S. Nishiyama (Japan) | 200 |
| Photocatalytic acetaldehyde oxidation in air using spacious TiO ₂ films prepared by atomic layer deposition on supported carbonaceous sacrificial templates S.W. Verbruggen, S. Deng, M. Kurttepeli, D.J. Cott, P.M. Vereecken, S. Bals, J.A. Martens, C. Detavernier and S. Lenaerts (Belgium) | 204 |
| Mechanism and process of methylene blue degradation by manganese oxides under microwave irradiation X. Wang, L. Mei, X. Xing, L. Liao, G. Lv, Z. Li and L. Wu (China, USA) | 211 |
| A novel and green method to synthesize CdSe quantum dots-modified TiO ₂ and its enhanced visible light photocatalytic activity P. Wang, D. Li, J. Chen, X. Zhang, J. Xian, X. Yang, X. Zheng, X. Li and Y. Shao (PR China) | 217 |
| Sunlight assisted photocatalytic mineralization of nitrophenol isomers over W ⁶⁺ impregnated ZnO A. Hameed, M. Aslam, I.M.I. Ismail, S. Chandrasekaran, M.W. Kadi and M.A. Gondal (Saudi Arabia, Pakistan) | 227 |
| A new approach to prepare Ti ³⁺ self-doped TiO ₂ via NaBH ₄ reduction and hydrochloric acid treatment W. Fang, M. Xing and J. Zhang (PR China) | 240 |
| Enhanced photocatalytic oxidation of arsenite to arsenate in water solutions by a new catalyst based on MoO _x supported on TiO ₂ V. Vaiano, G. Iervolino, D. Sannino, L. Rizzo, G. Sarno and A. Farina (Italy) | 247 |
| Hydrogen production by ethanol steam reforming over Rh nanoparticles supported on lanthana/silica systems L. Coronel, J.F. Múnera, A.M. Tarditi, M.S. Moreno and L.M. Cornaglia (Argentina) | 254 |
| Synthesis and characterization of magnetically separable Ag/AgCl-magnetic activated carbon composites for visible light induced photocatalytic detoxification and disinfection J.G. McEvoy and Z. Zhang (Canada) | 267 |
| Fabrication of positively and negatively charged, double-shelled, nanostructured hollow spheres for photodegradation of cationic and anionic aromatic pollutants under sunlight irradiation S. Li, J. Cai, X. Wu, F. Zheng, X. Lin, W. Liang, J. Chen, J. Zheng, Z. Lai, T. Chen and L. Zhu (China) | 279 |
| Deleterious effect of homogeneous and heterogeneous near-neutral photo-Fenton system on <i>Escherichia coli</i> . Comparison with photo-catalytic action of TiO ₂ during cell envelope disruption C. Ruales-Lonfat, N. Benítez, A. Sienkiewicz and C. Pulgarín (Switzerland, Colombia) | 286 |
| The mechanism of the CH ₄ /O ₂ reaction on the Pd–Pt/γ-Al ₂ O ₃ catalyst: A SSITKA study M. Rotko, A. Machocki and G. Słowiak (Poland) | 298 |
| Graphene/semiconductor nanocomposites (GSNs) for heterogeneous photocatalytic decolorization of wastewaters contaminated with synthetic dyes: A review S. Chowdhury and R. Balasubramanian (Republic of Singapore) | 307 |
| Rapid degradation of sulfonamides in a novel heterogeneous sonophotochemical magnetite-catalyzed Fenton-like (US/UV/Fe ₃ O ₄ /oxalate) system T. Zhou, X. Wu, J. Mao, Y. Zhang and T.-T. Lim (PR China, Singapore) | 325 |
| Understanding the storage function of a commercial NO _x -storage-reduction material using operando IR under realistic conditions J. Dupré, P. Bazin, O. Marie, M. Daturi, X. Jeandel and F. Meunier (France) | 335 |
| Highly active Ni ₂ P/SiO ₂ catalysts phosphorized by triphenylphosphine in liquid phase for the hydrotreating reactions J. Wang, H. Chen, Y. Fu and J. Shen (China) | 344 |
| Investigating the promotional effect of methanol on the low temperature SCR reaction on Ag/Al ₂ O ₃ S. Chansai, R. Burch, C. Hardacre, D. Norton, X. Bao and L. Lewis (UK, USA) | 356 |
| Ultra low temperature CO and HC oxidation over Cu-based mixed oxides for future automotive applications I. Heo, M.H. Wiebenga, J.R. Gaudet, I.-S. Nam, W. Li and C.H. Kim (South Korea, USA) | 365 |
| Mixed-phase TiO ₂ photocatalysts: Crystalline phase isolation and reconstruction, characterization and photocatalytic activity in the oxidation of 4-chlorophenol from aqueous effluents P. Apopei, C. Catrinescu, C. Teodosiu and S. Royer (Romania, France) | 374 |
| Construction of Bi ₂ WO ₆ homojunction via QDs self-decoration and its improved separation efficiency of charge carriers and photocatalytic ability C. Li, G. Chen, J. Sun, H. Dong, Y. Wang and C. Lv (PR China) | 383 |
| Comparative surface analysis and TAP measurements to probe the NO adsorptive properties of natural gas vehicle Pd–Rh/Al ₂ O ₃ catalyst Y. Renème, F. Dhainaut, Y. Schuurman, C. Mirodatos and P. Granger (France) | 390 |

| | |
|--|-----|
| One-step reduction and functionalization protocol to synthesize polydopamine wrapping Ag/graphene hybrid for efficient oxidation of hydroquinone to benzoquinone | 400 |
| W. Ye, X. Shi, J. Su, Y. Chen, J. Fu, X. Zhao, F. Zhou, C. Wang and D. Xue (China) | 400 |
| Visible-light-driven photocatalytic properties of $ZnO/ZnFe_2O_4$ core/shell nanocable arrays | 408 |
| X. Guo, H. Zhu and Q. Li (Hong Kong) | 408 |
| The role of cobalt and nickel in deoxygenation of vegetable oils | 415 |
| H. Zhang, H. Lin and Y. Zheng (Canada) | 415 |
| Identification of bimetallic electrocatalysts for ethanol and acetaldehyde oxidation: Probing C_2 -pathway and activity for hydrogen oxidation for indirect hydrogen fuel cells | 423 |
| A.C. Queiroz, W.O. Silva, I.A. Rodrigues and F.H.B. Lima (Brazil) | 423 |
| Hydrodeoxygenation of acetone-furfural condensation adducts over alumina-supported noble metal catalysts | 436 |
| L. Faba, E. Díaz and S. Ordóñez (Spain) | 436 |
| Phototransformation of model micropollutants in water samples by photocatalytic singlet oxygen production in heterogeneous medium | 445 |
| E. Díez-Mato, F.C. Cortezón-Tamarit, S. Bogioli, D. García-Fresnadillo and M.D. Marazuela (Spain, Italy) | 445 |
| Nanoneedle and nanotubular titanium dioxide – PES mixed matrix membrane for photocatalysis | 456 |
| K. Fischer, R. Gläser and A. Schulze (Germany) | 456 |
| Characterization of palladium/copper/ceria electrospun fibers for water–gas shift catalysis | 465 |
| W.T. Gibbons, T.H. Liu, K.J. Gaskell and G.S. Jackson (USA) | 465 |
| DME, propane and CO: The oxidation, steam reforming and WGS over Pt/Al_2O_3 . The effect of aging and presence of water | 480 |
| O. Mihai, A. Fathali, X. Auvray and L. Olsson (Sweden, Romania) | 480 |
| Degradation of the antibiotic trimethoprim by electrochemical advanced oxidation processes using a carbon-PTFE air-diffusion cathode and a boron-doped diamond or platinum anode | 492 |
| F.C. Moreira, S. Garcia-Segura, R.A.R. Boaventura, E. Brillas and V.J.P. Vilar (Portugal, Spain) | 492 |
| Semi-pilot scale environment friendly photocatalytic degradation of 4-chlorophenol with singlet oxygen species-Direct comparison with $H_2O_2/UV-C$ reaction system | 506 |
| P. Krystynik, P. Kluson, S. Hejda, D. Buzek, P. Masin and D.N. Tito (Czech Republic, UK) | 506 |
| Carbon supported trimetallic PdNiAg nanoparticles as highly active, selective and reusable catalyst in the formic acid decomposition | 514 |
| M. Yurderi, A. Bulut, M. Zahmakiran and M. Kaya (Turkey) | 514 |
| Steam reforming of sulfur-containing dodecane on a Rh–Pt catalyst: Influence of process parameters on catalyst stability and coke structure | 525 |
| Q. Zheng, C. Janke and R. Farrauto (USA, Germany) | 525 |
| Ruthenium(0) nanoparticles stabilized by metal-organic framework (ZIF-8): Highly efficient catalyst for the dehydrogenation of dimethylamine-borane and transfer hydrogenation of unsaturated hydrocarbons using dimethylamine-borane as hydrogen source | 534 |
| M. Yurderi, A. Bulut, M. Zahmakiran, M. Gülcen and S. Özkar (Turkey) | 534 |
| A comparative study of the catalytic oxidation of HCHO and CO over $Mn_{0.75}Co_{0.25}O_4$ catalyst: The effect of moisture | 542 |
| Y. Wang, X. Zhu, M. Crocker, B. Chen and C. Shi (People's Republic of China, USA) | 542 |
| Rapid microwave-assisted syntheses of reduced graphene oxide (RGO)/ $ZnIn_2S_4$ microspheres as superior noble-metal-free photocatalyst for hydrogen evolutions under visible light | 552 |
| L. Ye and Z. Li (PR China) | 552 |
| Synthesis of N-doped TiO_2 photocatalyst for low-concentration elemental mercury removal under various gas conditions | 558 |
| S.-S. Chen, H.-C. Hsi, S.-H. Nian and C.-H. Chiu (Taiwan) | 558 |
| Mesoporous Ce—Pr—O solid solution with efficient photocatalytic activity under weak daylight irradiation | 566 |
| S. Hao, J. Hou, P. Aprea and F. Pepe (PR China, Italy) | 566 |
| Study of the effect of addition of In to $Pt-Sn/\gamma-Al_2O_3$ catalysts for high purity hydrogen production via partial dehydrogenation of kerosene jet A-1 | 574 |
| E. Gianotti, Á. Reyes-Carmona, M. Taillades-Jacquin, G. Taillades, J. Rozière and D.J. Jones (France) | 574 |
| Critical influence of surface nitrogen species on the activity of N-doped TiO_2 thin-films during photodegradation of stearic acid under UV light irradiation | 582 |
| R. Quesada-Cabrera, C. Sotelo-Vazquez, J.A. Darr and I.P. Parkin (UK) | 582 |
| Elongated titania nanostructures as efficient photocatalysts for degradation of selected herbicides | 589 |
| M. Vranješ, Z.V. Šaponjić, L.S. Živković, V.N. Despotović, D.V. Šojoć, B.F. Abramović and M.I. Čomor (Serbia) | 589 |
| Degradation of Microcystin-LR in water: Hydrolysis of peptide bonds catalyzed by maghemite under visible light | 597 |
| Y. Fang, Y. Zhang, W. Ma, D.M. Johnson and Y.-p. Huang (China) | 597 |
| Selective conversion of glycerol to hydroxyacetone in gas phase over La_2CuO_4 catalyst | 606 |
| M. Velasquez, A. Santamaría and C. Batiot-Dupeyrat (Colombia, France) | 606 |
| Enhancement of photocatalytic H_2 evolution on $ZnIn_2S_4$ loaded with <i>in-situ</i> photo-deposited MoS_2 under visible light irradiation | 614 |
| G. Chen, N. Ding, F. Li, Y. Fan, Y. Luo, D. Li and Q. Meng (China) | 614 |
| Enhanced photocatalytic performance of TiO_2 based on synergistic effect of Ti^{3+} self-doping and slow light effect | 621 |
| D. Qi, L. Lu, Z. Xi, L. Wang and J. Zhang (PR China) | 621 |
| Preparation and characterisation of CuO/Al_2O_3 films deposited onto stainless steel microgrids for CO oxidation | 629 |
| Z. Boukha, J.L. Ayastuy, A. Iglesias-González, B. Pereda-Ayo, M.A. Gutiérrez-Ortiz and J.R. González-Velasco (Spain) | 629 |
| Effect of preparation of iron-infiltrated activated carbon catalysts on nitrogen oxide conversion at low temperature | 641 |
| M. Busch, W. Schmidt, V. Migunov, A. Beckel, C. Notthoff, A. Kompch, U. Bergmann, M. Winterer and B. Atakan (Germany) | 641 |
| Formation of ZnO thin films by photocatalytic reaction | 651 |
| H. Nishikiori, S. Nagaya, T. Takikawa, A. Kikuchi, T. Yamakami, H. Wagata, K. Teshima and T. Fujii (Japan) | 651 |
| Enhanced photocatalytic performance of Ag_3PO_4 by simultaneous loading of Ag nanoparticles and Fe(III) cocatalyst | 658 |
| H. Yu, G. Cao, F. Chen, X. Wang, J. Yu and M. Lei (People's Republic of China) | 658 |
| Treatment of synthetic soil washing solutions containing phenanthrene and cyclodextrin by electro-oxidation. Influence of anode materials on toxicity removal and biodegradability enhancement | 666 |
| E. Mousset, N. Oturan, E.D. van Hullebusch, G. Guibaud, G. Esposito and M.A. Oturan (France, Italy) | 666 |

| | |
|---|-----|
| Highly active electrocatalyst for oxygen reduction reaction from pyrolyzing carbon-supported iron tetraethylenepentamine complex H.-J. Zhang, H. Li, X. Li, S. Zheng, B. Zhao and J. Yang (China) | 676 |
| Supercritical water syntheses of Ce_xTiO_2 nano-catalysts with a strong metal-support interaction for selective catalytic reduction of NO with NH_3 Y. Liu, W. Yao, X. Cao, X. Weng, Y. Wang, H. Wang and Z. Wu (PR China) | 684 |
| Sonophotocatalytic (42 kHz) degradation of Simazine in the presence of $\text{Au}-\text{TiO}_2$ nanocatalysts P. Sathishkumar, R.V. Mangalaraja, H.D. Mansilla, M.A. Gracia-Pinilla and S. Anandan (Chile, India, Mexico) | 692 |
| Catalytic performance and characterization of Co-Fe bcc alloy nanoparticles prepared from hydrotalcite-like precursors in the steam gasification of biomass-derived tar L. Wang, J. Chen, H. Watanabe, Y. Xu, M. Tamura, Y. Nakagawa and K. Tomishige (Japan, China) | 701 |
| Effect of doping the nitrogen into carbon nanotubes on the activity of NiO catalysts for the oxidation removal of toluene S. Jiang, E.S. Handberg, F. Liu, Y. Liao, H. Wang, Z. Li and S. Song (PR China) | 716 |
| Dominated factors for high performance of Fe^{3+} grafted metal doped TiO_2 based photocatalysts M. Nishikawa, R. Takanami, F. Nakagoshi, H. Suizu, H. Nagai and Y. Nosaka (Japan) | 722 |
| Recent advances in silver-based heterogeneous catalysts for green chemistry processes C. Wen, A. Yin and W.-L. Dai (PR China) | 730 |
| Corrigendum to “Deoxygenation of benzofuran in supercritical water over a platinum catalyst” [Appl. Catal. B: Environ. 123–124 (2012) 357–366] J.G. Dickinson, J.T. Poberezny and P.E. Savage (USA) | 742 |
| Biodiesel production using 4-dodecylbenzenesulfonic acid as catalyst A. Alegría, Ángel.L.F. de Arriba, J.R. Morán and J. Cuellar (Spain) | 743 |
| One-dimensional visible-light-driven bifunctional photocatalysts based on $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ nanofiber frameworks and Bi_2XO_6 ($\text{X} = \text{Mo, W}$) nanosheets Y. Liu, M. Zhang, L. Li and X. Zhang (People's Republic of China) | 757 |